

～プログラム未経験の新人がRubyの世界に飛び込んだ～

「私たちがRuby開発者!?!」

Ruby FRIENDS

Pasonatech
佐々木雄哉


2017/8/19

▶ Contents

- ▶ 自己紹介
- ▶ 経歴
- ▶ Rubyの開発をやってみて
- ▶ 新人プログラマー 3つの心構え
- ▶ 今やっていること

▶ 自己紹介

- 佐々木雄哉
- 趣味：ダーツ、スノーボード、旅行
- 出身：熊本県
- 専門：開発エンジニア
- 出身大学：東海大学情報通信学部



▶ 経歴

1年目

- 9月 : 初Ruby
- 10月 : 初Ruby案件アサイン
- 12月~ : Ruby課題作成

2年目

- 2~6月 : お客様先常駐
- 7月 : 新人教育

▶ 経歴

1年目

- 9月 : 初Ruby
- 10月 : 初Ruby案件アサイン
- 12月~ : Ruby課題作成

← 絶望の始まり

2年目

- 2~6月 : お客様先常駐
- 7月 : 新人教育

Rubyの開発をやってみて



<> Code 0 Issues 0 Pull requests 0 Projects 0 Wiki Settings Insights

Branch: master

Commits on Aug 10, 2017

- Add belongs_to**
yuusasaki committed 8 days ago [3f47ce1](#)
- Add has_many**
yuusasaki committed 8 days ago [2cacc24](#)
- Add message_controlelr ha**
yuusasaki committed 8 days ago
- Add validation_mail**
yuusasaki committed 8 days ago
- Add error messages.**
yuusasaki committed 8 days ago
- Add validation**
yuusasaki committed 8 days ago
- Add limit & offset**
yuusasaki committed 8 days ago

```
1 source 'https://rubygems.org'
2
3 git_source(:github) do |repo_name|
4   repo_name = "#{repo_name}/#{repo_name}" unless repo_name.include?("/")
5   "https://github.com/#{repo_name}.git"
6 end
7
8
9 # Bundle edge Rails instead: gem 'rails', github: 'rails/rails'
10 gem 'rails', '~> 5.1.2'
11 # Use mysql as the database for Active Record
12 gem 'mysql2', '>= 0.3.18', '< 0.5'
13 # Use Puma as the app server
14 gem 'puma', '~> 3.7'
15 # Use SCSS for stylesheets
16 gem 'sass-rails', '~> 5.0'
17 # Use Uglifier as compressor for JavaScript assets
18 gem 'uglifier', '>= 1.3.0'
19 # See https://github.com/rails/execjs#readme for more supported runtimes
20 gem 'therubyracer', platforms: :ruby
21
22 # Use CoffeeScript for .coffee assets and views
23 gem 'coffee-rails', '~> 4.2'
24 # Turbolinks makes navigating your web application faster. Read more: https://github.com/turbolinks/turbolinks
25 gem 'turbolinks', '~> 5'
26 # Build JSON APIs with ease. Read more: https://github.com/rails/jbuilder
27 gem 'jbuilder', '~> 2.5'
28 # Use Redis adapter to run Action Cable in production
29 gem 'redis', '~> 3.0'
30 # Use ActiveRecord has_secure_password
31 gem 'bcrypt', '~> 3.1.7'
32
33 # Use Capistrano for deployment
34 # gem 'capistrano-rails', group: :development
35
36 group :development, :test do
37   # Call 'byebug' anywhere in the code to stop execution and get a debugger console
38   gem 'byebug', platforms: [:mri, :mingw, :x64_mingw]
39   # Adds support for Capybara system testing and selenium driver
40   gem 'capybara', '~> 2.13'
41   gem 'selenium-webdriver'
42 end
```


▶ Rubyの開発をやってみて



全然わからん...

解決方法

プログラムの流れを
図(フローチャート)を
用いて書いてみた



▶ 新人プログラマー

3つの心構え



▶ その1

エラー文から逃げるな

その1

Routing Error

uninitialized constant InquiriesController

Rails.root: /home/ec2-user/inquiry

[Application Trace](#) | [Framework Trace](#) | [Full Trace](#)

Routes

Routes match in priority from top to bottom

Helper	HTTP Verb	Path	Controller#Action
<u>Path / Url</u>		<input type="text" value="Path Match"/>	
inquiry_path	GET	/inquiry(.:format)	inquiries#index
confirm_path	POST	/confirm(.:format)	inquiries#confirm

Request

Parameters:

None

[Toggle session dump](#)

突然のバグ

▶ その2

素直であれ

▶ その2

「でも～」や「いや、～」を
使わない

▶ その3

1日1時間勉強しろ

▶ その3

最低限の業務をこなすために
最低限の知識が必要

▶ 3つの心構え

エラー文から逃げるな

素直であれ

1日 1時間勉強しろ

▶ 今やっていること

新人教育やっています

end...

これからだ!!



俺たちの戦いは!!